

APPROVAL SHEET



Economy Plate Shelf Updraft

With NFPA 3" Air Space

Job Name:

Dealer:

Updraft Model By: Date:

Fabrication cannot begin until sheet is signed

Approved by PO Number Date

Options


FILLIANDE ETLLLANDE ETLLANDE ETLLLANDE ETLLANDE ETL



Standard 2







Specifications

Updraft Superstructure: Constructed of Stainless Steel on all exposed surfaces. Ventilation Section constructed of 20 Gauge Stainless Steel and 18 Gauge Aluminized Steel. All Seams externally welded, Code #96 construction. Heavy Gauge Stainless Steel Plate Shelf, Back Panel and Top Ends. Includes a full complement of 16" High x 20" wide U.L. Listed Aluminum Baffle Filters, pitched Grease Gutter, Grease Drain, and removable S/S Covered Grease cup. NSF Listed. Built to NFPA Standard #96, Michigan & International Mechanical Code Type I Specifications for Low Side Wall Canopies.

Updraft Equipment Base: Double Wall Ends for easy cleaning. Interior Ends constructed of Stainless Steel. Stainless Steel Equipment and Undershelf. Equipment Rails to support counter style cooking equipment. Finished Painted Exterior Ends.

NFPA 3" Air Space: 20 Gauge S/S Rear Air Space to allow Updraft to be installed 3" from drywall on steel studs only. Also availableon left and right ends at additional cost.

Aluminized Steel Model: Same as above only Interior Ends and Undershelf Aluminiaed Steel.

Maple Cutting Board: Laminated Hard Maple, 8" wide, mounted on Stainless Steel brackets. Board easily removable for cleaning.

Stainless Steel Ends: supplied with S/S Exterior Base Ends.